

Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 1 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.)

杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.)

宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : WIRE BONDED PROCESSED PLASTIC MOLDED PRODUCTS (各項打線製程塑

封裝產品

樣品型號(Style/Item No.) : 請參考第2頁 (PLEASE REFER TO PAGE 2)

收件日(Sample Receiving Date) : 08-Dec-2022

測試期間(Testing Period) : 08-Dec-2022 to 15-Dec-2022

測試需求(Test Requested) : (1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測

試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As

specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury,

Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted

sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Malager
Signed for and on behalf of Alwah
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 944D596B



Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 2 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

樣品型號(Style/Item No.)

0402 / 0603 / 0805 / 1005(SOD-323)/ FN2510P10 / DFN0603(T0603) /T0603-1/ T0603-2/ T0603-3 / DFN3020-10(T3020P10)/ DFN3810-9(T3810P9)/ DFN3333-8(T3333P8) / DFN2010-10(T2010P10)/ DFN2020-6(T2020P6)/T2020P6-1 /T2020P6-2/ DFN2510-10(T2510P10)/ T1006P3-1/ T1006P3-2 / T1006P2-7/T1006P2-7A/DFN1608-2(T1608P2)/T1608P2-2/DFN1610-2(T1610P2)/ DFN1610-6(T1610P6)/ DFN2030-6(T2030P6) / DFN2626-10(T2626P10)/ DFN5060-8(T5060P8)/ DFN5060 Dual(T5060P8 Dual)/ DFN0.6X0.3 / DFN1006-2(T1006P2) / DFN1.0X0.6 (DFN1006) / DFN1006-3 (T1006P3)/ DFN1006-2L / DFN1X1-3 (DFN1010-3)/ DFN1X1-4 (T1010P4) / DFN1X1-6 (DFN1010-6)/ DFN1.2X1.2 (DFN1212)/ DFN1.6X1.6 (DFN1616)/ DFN1616-6((T1616P6) / DFN2020-3(T2020P3)/ DFN2X2(DFN2X2-6)/DFN2020-6(T2020P6) / DFN2X3 (DFN2030)/ DFN2X5 (DFN2050)/ DFN3X2 (DFN3020)/ DFN3X2NEP (DFN3020NEP)/ DFN3X3((DFN3X3-10) / DFN3030(T3030P10)/ DFN3X3NEP (DFN3030NEP)/ DFN3.3X3.3 (DFN3333)/ DFN3030-8(T3030P8) / DFN5X6 (DFN5060) / (PPAK5X6)/ DFN8080-3(T8080P3) / DFN8080-8(T8080P8) / DFN1210-6(T1210P6) / SOT-883/ SC-76 / SC-89(SOT-523) / SOD-123F/ SOD-123FL / SOD-323F / SOD-323FL / SOD-523 / SOD-523FL / SOD-723FL / SOD-882 / SOD-923 / SOD-923FL / SOP8 (SOP-08) / SOP8-PP/ SOP-16 / SOT-89 / SOT-89-5 / SOT-1123 / SOT-143 / SOT-223 / SOT-223-2 / SOT-23 (TO-236) / SOT-23-3 (SC-59) / SOT-23-5(SOT-25) / SOT-23-6 (SOT-26) / SOT-23-LC/ SOT-323 / SOT-353 / SOT-363(SC-88) / SOT-523 / SOT-523FL (SC-89-3) / SOT-553 / SOT-563 / SOT-723 / SOT-923 / TSOP-6 / TSSOP-8/TOLL-8L (MO-299A) / TO-247-4L / HSOP-8 / FBP1X1-4 /



Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 3 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.)

杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.)

宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

測試部位敘述 (Test Part Description)

No.1 : 各項打線製程塑封裝產品 (WIRE BONDED PROCESSED PLASTIC MOLDED PRODUCTS)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013·以感應耦合電漿發射光	mg/kg	2	n.d.
43-9)	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013·以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-	參考IEC 62321-4: 2013+ AMD1: 2017,以感應耦	mg/kg	2	n.d.
97-6)	合電漿發射光譜儀分析。(With reference to IEC			
	62321-4: 2013+ AMD1: 2017, analysis was			
	performed by ICP-OES.)			
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017,以紫外光-可見光分光	mg/kg	8	n.d.
Cr(VI)) (CAS No.: 18540-29-9)	光度計分析。(With reference to IEC 62321-7-2:			
	2017, analysis was performed by UV-VIS.)			
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 4 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.)

杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.)

宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
(rest items)	(Wethou)	(Onit)		No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 62321-6: 2015,以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)		mg/kg	50	n.d.
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)		mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)		mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010‧以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010‧以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.



Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 5 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.)

杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.)

宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
,		, ,		No.1
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321-9: 2021·以氣相層析儀/質譜儀分析。(With reference to IEC 62321-9: 2021, analysis was performed by GC/MS.)	mg/kg	20	n.d.
中鏈氯化石蠟(C14-C17) (MCCP) (Medium Chain Chlorinated Paraffins(C14-C17) (MCCP)) (CAS No.: 85535-85-9)	參考ISO 18219-2: 2021·以氣相層析儀/質譜儀分析。(With reference to ISO 18219-2: 2021, analysis was performed by GC/MS.)	mg/kg	50	n.d.
四溴雙酚-A (TBBP-A) (Tetrabromobisphenol A (TBBP-A)) (CAS No.: 79-94-7)	參考RSTS-E&E-121 · 以液相層析儀/質譜儀分析。 (With reference to RSTS-E&E-121, analysis was performed by LC/MS.)	mg/kg	10	n.d.

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including):

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

- 6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including):
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. 本報告為 ETR22C01754 之異動報告。(This is the additional test report of ETR22C01754.)



Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 6 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.)

杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.)


宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 7 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report


號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 8 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 9 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 10 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 11 of 13


美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 12 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A





Test Report


號碼(No.): ETR22C01754M01 日期(Date): 15-Dec-2022 頁數(Page): 13 of 13

美麗微半導體股份有限公司 (FORMOSA MICROSEMI CO., LTD.) 杭州美麗微電子有限公司 (HANGZHOU FORMOSA MICRO-ELECTRONIC CO., LTD.) 宜蘭縣宜蘭市梅洲里梅洲二路38號 (NO. 38, MEIZHOU 2ND RD., MEIZHOU VIL., YILAN CITY, YILAN COUNTY 26053, TAIWAN)

杭州市濱江區明德路6號 (NO. 6, MINGDE RD., BINJIANG DIST., HANGZHOU, CHINA)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22C01754



** 報告結尾 (End of Report) **